



# TRA22BAG

FALL ARREST AND RESCUE, CONFINED SPACE

Fall protection



## Applications

- Finishing Works/Craftsmanship
- Chemical Industry
- Automotive
- Oil & Gas (Extraction)
- Mining
- Petrochemical

## Certifications and norms



EN 795

TS16415  
3

## Risk Protection



Fall



*enjoy safety.*

Edit 13/04/2026  
[www.deltaplus-usa.com](http://www.deltaplus-usa.com)



# TRA22BAG

FALL ARREST AND RESCUE, CONFINED SPACE

Fall protection

## Standards - Details

## Technical details

Type of equipment	Telescopic tripod
Anchoring device	Tripod
Composition of the main support	Aluminum
Max. length (m)	1,97
Min. length (m)	1,25
Length (m)	2
Color	Aluminium-coloured
Lifespan from manufacturing (years)	20
Weight (kg)	17,4
Wheelbase on ground (m)	1,89
Not included	TRA103 step
Fall arrest work situations	Rescue and evacuation, Vertical movement, confined space
Length (ft)	6.5616








# TRA22BAG

FALL ARREST AND RESCUE, CONFINED SPACE

Fall protection

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TRA22BAG	Aluminium-coloured	Adjustable	TRA22BAG	3295249199272	13295249199279	1	1	23.97 kg	28.0 cm	33.5 cm	154.5 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height