TRA22BAG

FALL ARREST AND RESCUE, CONFINED SPACE

Fall protection



Applications

- Finishing Works/Craftsmanship
- Chemical Industry
- Automotive
- Oil & Gas (Extraction)
- Mining
- Petrochemical

Certifications and norms

CE CATEGORY III

EN 795

TS16415
3

Risk Protection

Fall

TRA22BAG

FALL ARREST AND RESCUE, CONFINED SPACE

Fall protection

Standards - Details

Technical details

Type of equipment	Telescopic tripod
Composition of the main support	Aluminum
Anchoring device	Tripod
Max. length (m)	1,97
Min. length (m)	1,25
Length (m)	2
Color	Aluminium-coloured
Lifespan from manufacturing (years)	20
Weight (kg)	17,4
Wheelbase on ground (m)	1,89
Not included	TRA103 step
Fall arrest work situations	Rescue and evacuation, Vertical movement, confined space
Lenght (ft)	6.5616

505025

防坠落和救援，有限空间

坠落防护

物流信息

产品代码	颜色	尺码	六位码	条形码	箱码	箱规	最低销售	重量	箱长	箱宽	箱高
TRA22BAG	铝色	可调节	505025	3295249199272	13295249199279	1	1	23.97 kg	28.0 cm	33.5 cm	154.5 cm

箱规

最低销售

箱长

箱宽

箱高