Fall protection

HAR22H

FALL ARRESTER HARNESSES

Ergonomic harness for maximum freedom of movement with 2 anchorage points



Certifications and norms

CE CATEGORY III

EN361
150 KG

Risk Protection

Fall

Specific benefits

Comfort

· Leg strap design allows freedom of movement for long working days
· "H" configuration for greater comfort in women and men

Hygiene

· Can wash harnesses and textiles with neutral soap

Performance

· Certification above maximum rated load 100kg: product certified at 150kg

Ease of Use

· Ergonomic design facilitates user movement
· NFC system guarantees traceability

Applications

- **Agriculture**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Chemical Industry**
- **Oil & Gas (Extraction)**

Fall protection

HAR22H

FALL ARRESTER HARNESSES

Ergonomic harness for maximum freedom of movement with 2 anchorage points

Standards - Details

Technical details

Type of equipment	Fall arrester harness
Composition of the main support	Steel, Polyester
Fastening	Buckles
Number of attachment points	2
Buckles	Manual loop
Anti-fall point	Dorsal, Sternal
Color	Black
Size	S/M/L, XL/XXL
Benefits element	Fall indicator
Lifespan from manufacturing (years)	10
Weight (kg)	1,2
Number of manual buckles	5
Number of fall arrest anchorage points	2
Sternal	1
Dorsal	1
Fall arrest work situations	Vertical movement on a permanent structure, Movement on lifeline, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection

HAR22H

FALL ARRESTER HARNESSES

Fall protection

Ergonomic harness for maximum freedom of movement with 2 anchorage points

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
HAR22HGT	Black	SM/MD/LG	HAR22H	3295249237455	13295249237452	5	1	7.06 kg	22.0 cm	48.0 cm	21.0 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height