



Fall protection

HAR22H

FALL ARRESTER HARNESSES

Ergonomic harness for maximum freedom of movement with 2 anchorage points



Specific benefits



Comfort

- Leg strap design allows freedom of movement for long working days
- "H" configuration for greater comfort in women and men



Hygiene

- Can wash harnesses and textiles with neutral soap



Performance

- Certification above maximum rated load 100kg: product certified at 150kg



Ease of Use

- Ergonomic design facilitates user movement
- NFC system guarantees traceability

Applications

- Agriculture
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)

Certifications and norms



EN361
150 KG

Risk Protection



Fall



enjoy safety.

Edit 27/02/2026
www.deltaplus-usa.com



Fall protection

HAR22H

FALL ARRESTER HARNESSES

Ergonomic harness for maximum freedom of movement with 2 anchorage points

Standards - Details

Technical details

Type of equipment	Fall arrester harness
Composition of the main support	Steel, Polyester
Fastening	Buckles
Number of attachment points	2
Buckles	Manual loop
Anti-fall point	Dorsal, Sternal
Color	Black
Size	S/M/L, XL/XXL
Benefits element	Fall indicator
Lifespan from manufacturing (years)	10
Weight (kg)	1,2
Number of manual buckles	5
Number of fall arrest anchorage points	2
Sternal	1
Dorsal	1
Fall arrest work situations	Vertical movement on a permanent structure, Movement on lifeline, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection



Fall protection

HAR22H

FALL ARRESTER HARNESSES

Ergonomic harness for maximum freedom of movement with 2 anchorage points

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HAR22HGT	Black	S/M/L	HAR22H	3295249237455	13295249237452	5	1	7.06 kg	22.0 cm	48.0 cm	21.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height