



HAR12GILNO

FALL ARRESTER HARNESSES

Harness with integrated black work waistcoat for safe working

Fall protection



Specific benefits



Hygiene

· Can wash harnesses and textiles with neutral soap



Performance

· Certification above maximum rated load 100kg; product certified at 140kg



Ease of Use

· Two-tone strap makes harness easy to put on

Applications

- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Mining
- Petrochemical

Certifications and norms



EN361
140 KG

Risk Protection



Fall



HAR12GILNO

FALL ARRESTER HARNESSES

Harness with integrated black work waistcoat for safe working

Fall protection

Standards - Details

Technical details

Type of equipment	Fall arrester harness with work vest not removable
Composition of the main support	Steel, Polyester
Adjustment	Adjustable size by zip
Fastening	Zipper fastening
Number of attachment points	2
Anti-fall point	Dorsal, Sternal
Pockets	4
Color	Black
Size	S/M/L, XL/XXL
Lifespan from manufacturing (years)	10
Weight (kg)	1,1
Number of fall arrest anchorage points	2
Sternal	1
Dorsal	1
Fall arrest work situations	Vertical movement on a permanent structure, Movement on lifeline, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection



HAR12GILNO

FALL ARRESTER HARNESSES

Fall protection

Harness with integrated black work waistcoat for safe working

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HAR12GILNOGT	Black	S/M/L	HAR12GILNO	3295249181253	13295249181250	10	1	12.3 kg	32.0 cm	50.0 cm	28.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height