



Fall protection

# JAGUAR 2 HAR36R

## FALL ARRESTER AND SUSPENSION HARNESES

Technical harness with a new architecture designed to optimise the ergonomics of rope workers, equipped with a ventral blocker



### Specific benefits



#### Comfort

· 3D comfort foam integrated into harness that provides comfort and breathability for prolonged use



#### Hygiene

· Detachable comfort foam for easy cleaning  
· Can wash harnesses and textiles with neutral soap



#### Performance

· Certification above maximum rated load 100kg: product certified at 150kg



#### Visibility

· Anti-fall visual indicator allows for instant verification that product is properly functioning

### Applications

- Public Works
- Finishing Works/Craftsmanship
- Chemical Industry
- Automotive
- Oil & Gas (Extraction)
- Mining

### Certifications and norms



EN361  
150 KG

EN813  
150 KG

EN358

### Risk Protection



Fall



Fall protection

# JAGUAR 2 HAR36R

## FALL ARRESTER AND SUSPENSION HARNESSES

Technical harness with a new architecture designed to optimise the ergonomics of rope workers, equipped with a ventral blocker

### Standards - Details

### Technical details

Type of equipment	Fall arrest, support and suspension harnesses
Composition of the main support	Aluminum, Polyester
Fastening	Buckles
Number of attachment points	2
Number of total suspension points	1
Number of total holding attachment points	2
Anti-fall point	Dorsal, Sternal
Holding point	Belt
Color	Grey-Yellow
Comfort elements	"Soft padding" on shoulders and thigh strap
Size	XS, S/M/L, XL/XXL
Benefits element	Comfort, Fall indicator
Lifespan from manufacturing (years)	10
Number of non-removable buckles	5
Weight (kg)	2,7
Number of manual buckles	2
Number of automatic loops	2
Number of fall arrest anchorage points	2
Padding	Back, Belt, Leg, Shoulder
Sternal	1
Dorsal	1
Belt	1
Fall arrest work situations	Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space,










Fall protection

# JAGUAR 2 HAR36R

## FALL ARRESTER AND SUSPENSION HARNESSES

Technical harness with a new architecture designed to optimise the ergonomics of rope workers, equipped with a ventral blocker

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HAR36RGT	Grey-Yellow	M/L	JAGUAR 2 HAR36R	3295249265601	13295249265608	5	1	16.3 kg	25.0 cm	80.0 cm	38.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height