



Fall protection

# LO147150

## LANYARDS

1.5 metre double, braided rope lanyard with thimble loop ends for maximum versatility



## Applications

- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)
- Mining

## Certifications and norms



EN354

## Risk Protection



Fall



Fall protection

# LO147150

## LANYARDS

1.5 metre double, braided rope lanyard with thimble loop ends for maximum versatility

### Standards - Details

### Technical details

Type of equipment	Braided rope lanyard
Composition of the main support	Polyamide
Length (m)	1,5
Rope diameter (mm)	10,5
Cable diameter (mm) (mm)	10,5
Color	White
Ending	2 sewn thimble loops
Weight (kg)	0,264
Fall arrest work situations	Restraint
Lenght (ft)	4.9213



Fall protection

# LO147150

## LANYARDS

1.5 metre double, braided rope lanyard with thimble loop ends for maximum versatility

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LO147150	White	1.50 m	LO147150	3660348006293	13660348006290	15	1	5.1 kg	22.0 cm	48.0 cm	21.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height