



Fall protection

TC105

FALL ARRESTER AND SUSPENSION HARNESSSES

A seat for a vertical movement



Applications

- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)
- Mining

Certifications and norms

MAXIMUM RATED LOAD: 100

Risk Protection



Fall



Fall protection

TC105

FALL ARRESTER AND SUSPENSION HARNESSSES

A seat for a vertical movement

Standards - Details

Technical details

Warning	Please note that this product is neither a fall arrest device nor part of a fall protection system. It may only be used if the user is equipped with a fall protection system that is suitable for their working situation.
Type of equipment	Seat
Composition of the main support	Polyester
Adjustment	Adjustable lenght foot rest
Included elements	D-Ring tool holderon both sides
Color	Black-Red
Size	One size
Weight (kg)	2,2
Use	For vertical movement
Fall arrest work situations	Rescue and evacuation
Maximum rated load (kg)	100
Width (cm)	7
Lenght (cm)	24.5








TC105

FALL ARRESTER AND SUSPENSION HARNESSSES

Fall protection

A seat for a vertical movement

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TC105	Black-Red	One size	TC105	3295249198336	13295249198333	2	1	5.4 kg	24.8 cm	73.8 cm	17.2 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height