



Fall protection

TC104

RESCUE AND EVACUATION

Universal rescue stretcher



Specific benefits



Hygiene

- Can wash harnesses and textiles with neutral soap

Applications

- Public Works
- Chemical Industry
- Automotive
- Petrochemical
- Storage

Certifications and norms

MAXIMUM RATED LOAD: 300

Risk Protection



Fall



TC104

RESCUE AND EVACUATION

Universal rescue stretcher

Fall protection

Standards - Details

Technical details

Warning	Please note that this product is neither a fall arrest device nor part of a fall protection system. It may only be used if the user is equipped with a fall protection system that is suitable for their working situation.
Type of equipment	Rescue stretcher
Composition of the main support	Polyester, Polyethylene
Adjustment	adjustable universal sling
Color	Black
Lifespan from manufacturing (years)	10
Weight (kg)	18,7
Fall arrest work situations	Rescue and evacuation
Maximum rated load (kg)	300
Width (cm)	63
Lenght (cm)	220
Height (cm)	17








Fall protection

TC104

RESCUE AND EVACUATION

Universal rescue stretcher

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TC104	Black	One size	TC104	3295249265519	13295249265516	1	1	18.7 kg	125.0 cm	67.0 cm	24.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height