



# LV102200

## ANCHORAGE DEVICES

Fall protection



### Applications

- Agriculture
- Finishing Works/Craftsmanship
- Chemical Industry
- Automotive
- Oil & Gas (Extraction)
- Mining

### Certifications and norms



EN354

EN 795  
TYPE B

### Risk Protection



Fall



# LV102200

## ANCHORAGE DEVICES

Fall protection

### Standards - Details

### Technical details

Type of equipment	Extension strap in high tenacity polyester with D-ring.
Composition of the main support	Steel, Polyester
Length (m)	2
Width (inch)	1.7685
Width (mm)	45
Color	Red
Lifespan from manufacturing (years)	10
Weight (kg)	0.39
Fall arrest work situations	Restraint, Rescue and evacuation, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m)
Length (ft)	6.5616








# LV102200

## ANCHORAGE DEVICES

Fall protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LV102200	Red	-	LV102200	3660348006477	13660348006474	15	1	5.54 kg	44.0 cm	28.0 cm	15.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height