Fall protection

FENNEC AN06310

FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its rope which makes it easy to set it up for occasional users over a length of 10 metres



Specific benefits

Ease of Use

· NFC system guarantees traceability

Applications

- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**

Certifications and norms

CE CATEGORY III

EN353-2
100 KG | MAXIMUM RATED LOAD: 100

Risk Protection

Fall

Fall protection

FENNEC AN06310

FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its rope which makes it easy to set it up for occasional users over a length of 10 metres

Standards - Details

Technical details

Type of equipment	Stranded rope
Composition of the main support	Steel, Stainless steel, Polyamide
Max. length (m)	10
Length (m)	10
Rope diameter (mm)	12,7
Included elements	Wear indicator
Color	White-Black
Ending	1 loop spliced on high end
Weight (kg)	1,3
Fall arrest work situations	Movement on lifeline, Long vertical movement or movement on inclined surface, Long horizontal movement on horizontal surface
Maximum rated load (kg)	100
Lenght (ft)	32.808
Type of opening	Non-opening

坠落防护

503063

绳索作业防坠落装置

滑动防坠落系统已经安装在绳索上，当用户临时需要使用超过10米的长度时方便设置

物流信息

产品代码	颜色	尺码	六位码	条形码	箱码	箱规	最低销售	重量	箱长	箱宽	箱高
AN06310	白色-黑色	10米	503063	3660348004244	13660348004241	10	1	16.5 kg	0.23 m	0.8 m	0.32 m

箱规

最低销售

箱长

箱宽

箱高