



Fall protection

FENNEC AN06310

FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its rope which makes it easy to set it up for occasional users over a length of 10 metres



Specific benefits



Ease of Use

- NFC system guarantees traceability

Applications

- Building
- Finishing Works/Craftsmanship
- Maintenance

Certifications and norms



EN353-2
100 KG | MAXIMUM RATED LOAD: 100

Risk Protection



Fall



enjoy safety.

Edit 10/10/2026
www.deltaplus-usa.com



Fall protection

FENNEC AN06310

FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its rope which makes it easy to set it up for occasional users over a length of 10 metres

Standards - Details

Technical details

Type of equipment	Stranded rope
Composition of the main support	Steel, Stainless steel, Polyamide
Max. length (m)	10
Length (m)	10
Rope diameter (mm)	12,7
Included elements	Wear indicator
Color	White-Black
Ending	1 loop spliced on high end
Weight (kg)	1,3
Fall arrest work situations	Movement on lifeline, Long vertical movement or movement on inclined surface, Long horizontal movement on horizontal surface
Maximum rated load (kg)	100
Lenght (ft)	32.808
Type of opening	Non-opening



Fall protection

FENNEC AN06310

FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its rope which makes it easy to set it up for occasional users over a length of 10 metres

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
AN06310	White-Black	10 m	FENNEC AN06310	3660348004244	13660348004241	10	1	16.5 kg	23.0 cm	80.0 cm	32.0 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height