Fall protection

AN30030

FALL ARRESTERS ON ROPE

30 metre anchorage line made from 14 mm stranded rope for use with the AN065 sliding fall arrest system for long distances



Applications

- **Finishing Works/Craftsmanship**
- **Chemical Industry**
- **Automotive**
- **Oil & Gas (Extraction)**
- **Petrochemical**
- **Power Energy**

Certifications and norms

CE CATEGORY III

EN353-2

Risk Protection

Fall

DELTAPLUS

enjoy safety.

Fall protection

AN30030

FALL ARRESTERS ON ROPE

30 metre anchorage line made from 14 mm stranded rope for use with the AN065 sliding fall arrest system for long distances

Standards - Details

Technical details

Type of equipment	Stranded rope
Composition of the main support	Polyamide
Length (m)	30
Rope diameter (mm)	14
Color	White
Ending	End spliced with thimble loop
Weight (kg)	4,1
Fall arrest work situations	Long vertical movement or movement on inclined surface
Lenght (ft)	98.4241

Fall protection

AN30030

FALL ARRESTERS ON ROPE

30 metre anchorage line made from 14 mm stranded rope for use with the AN065 sliding fall arrest system for long distances

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN30030	White	30 m	AN30030	3295249237431	13295249237438	5	1	22.7 kg	25.0 cm	80.0 cm	38.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height