



Fall protection

AN30020

FALL ARRESTERS ON ROPE

20 metre anchorage line made from 14 mm stranded rope for use with the AN065 sliding fall arrest system for long distances



Applications

- **Finishing works / Craftsmanship**
- **Chemical industry**
- **Automotive**
- **Oil & Gas (extraction)**
- **Petrochemical**
- **Power Energy**

Certifications and norms



EN353-2

Protects against risks



Fall



Fall protection

AN30020

FALL ARRESTERS ON ROPE

20 metre anchorage line made from 14 mm stranded rope for use with the AN065 sliding fall arrest system for long distances

Standards - Details

Technical details

Type of equipment	Stranded rope
Composition of the main support	Polyamide
Length (m)	20
Rope diameter (mm)	356.3
Color	White
Ending	End spliced with thimble loop
Weight (kg)	3
Fall arrest work situations	Long vertical movement or movement on inclined surface
Length (ft)	65.616








Fall protection

AN30020


FALL ARRESTERS ON ROPE

20 metre anchorage line made from 14 mm stranded rope for use with the AN065 sliding fall arrest system for long distances

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN30020	White	20 m	AN30020	3295249237424	13295249237421	5	1	15.98 kg	23.0 cm	80.0 cm	32.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height