



Fall protection

# AN30020

## FALL ARRESTERS ON ROPE

20 metre anchorage line made from 14 mm stranded rope for use with the AN065 sliding fall arrest system for long distances



### Applications

- **Finishing Works/Craftsmanship**
- **Chemical Industry**
- **Automotive**
- **Oil & Gas (Extraction)**
- **Petrochemical**
- **Power Energy**

### Certifications and norms



EN353-2

### Risk Protection



Fall



Fall protection

# AN30020

## FALL ARRESTERS ON ROPE

20 metre anchorage line made from 14 mm stranded rope for use with the AN065 sliding fall arrest system for long distances

### Standards - Details

### Technical details

Type of equipment	Stranded rope
Composition of the main support	Polyamide
Length (m)	20
Rope diameter (mm)	356.3
Color	White
Ending	End spliced with thimble loop
Weight (kg)	3
Fall arrest work situations	Long vertical movement or movement on inclined surface
Length (ft)	65.616



Fall protection

# AN30020

## FALL ARRESTERS ON ROPE

20 metre anchorage line made from 14 mm stranded rope for use with the AN065 sliding fall arrest system for long distances

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN30020	White	20 m	AN30020	3295249237424	13295249237421	5	1	15.98 kg	23.0 cm	80.0 cm	32.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height