WHAR12MFB

FALL ARRESTER HARNESSES

Fall protection



Specific benefits

Hygiene

· Can wash harnesses and textiles with neutral soap

Performance

· Certification above maximum rated load 100kg: product certified at 140kg

Ease of Use

· Two-tone strap makes harness easy to put on

Certifications and norms

CE CATEGORY III

EN361
140 KG

Applications

- **Agriculture**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Automotive**
- **Storage**

Risk Protection

Fall

WHAR12MFB

FALL ARRESTER HARNESSES

Fall protection

Standards - Details

Technical details

Type of equipment	Fall arrester harness
Composition of the main support	Steel, Polyester
Strap width (mm)	45
Fastening	Buckles
Number of attachment points	2
Buckles	Manual loop
Anti-fall point	Dorsal, Sternal
Color	Orange
Type of fitting	Male/Female
Size	S/M/L, XL/XXL
Lifespan from manufacturing (years)	10
Number of non-removable buckles	3
Type of conditioning	box of 10
Number of fall arrest anchorage points	2
Sternal	1
Dorsal	1
Fall arrest work situations	Vertical movement on a permanent structure, Movement on lifeline, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection
Maximum rated load (kg)	140

WHAR12MFB

FALL ARRESTER HARNESSES

Fall protection

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
WHAR12MFBGT	Orange	SM/MD/LG	WHAR12MFB	3295249235147	13295249235144	10	1	8.79 kg	29.5 cm	45.5 cm	24.0 cm
HARCLAM20Z3OR2X	Orange	XL/2X	WHAR12MFB	3295249644871	13295249644878	10	1	8.79 kg	29.5 cm	45.5 cm	24.0 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height