



WENKIT01_

FALL ARRESTER HARNESSSES

Fall protection



Specific benefits



Hygiene

· Can wash harnesses and textiles with neutral soap



Performance

· Certification above maximum rated load 100kg; product certified at 140kg



Ease of Use

· NFC system guarantees traceability



Sustainability

· High webbing tenacity thanks to its weave and width



Cost Efficiency

· Ready-to-use economic kit

Applications

- Agriculture
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Forestry

Certifications and norms



CATEGORY III

EN355
140 KG

EN361

EN354

Risk Protection



Fall



enjoy safety.



WENKIT01_

FALL ARRESTER HARNESSES

Fall protection

Standards - Details

Technical details

Type of equipment	"Classic" fall arrester set
Composition of the main support	Steel, Polyester
Lock	Automatic system
Fastening	Buckles
Number of attachment points	1
Buckles	Manual loop
Anti-fall point	Dorsal
Type of fitting	Male/Female
Size	S/M/L, XL/XXL
Lifespan from manufacturing (years)	10
Type of conditioning	Box of 5
Number of fall arrest anchorage points	1
Dorsal	1
Fall arrest work situations	Movement on lifeline, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m)








WENKIT01_

FALL ARRESTER HARNESSSES

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WENKIT01	Colourless	-	WENKIT01_	3295249142742	13295249142749	5	1	8.94 kg	44.0 cm	28.0 cm	15.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height