



Fall protection

# AM022

## CONNECTORS

Automatic lock karabiner that reduces the risk of mishandling and has a large opening for easy anchoring



### Applications

- Agriculture
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)

### Certifications and norms



EN 362  
CLASS A

### Risk Protection



Fall



# AM022

## CONNECTORS

Fall protection

Automatic lock karabiner that reduces the risk of mishandling and has a large opening for easy anchoring

### Standards - Details

### Technical details

Type of equipment	Automatic Lock Carabiners
Composition of the main support	Steel
Length (m)	0,215
Length (inch)	8.3316
Width (inch)	4.3231
Width (mm)	110
Gate opening (mm)	51
Opening (inch)	2.0044
Lock	Automatic system
Color	Steel
Lifespan from manufacturing (years)	20
Weight (kg)	1
Type of conditioning	Bag of 2
Length (ft)	0.7054
Major axis strength (kN)	25








Fall protection

# AM022 CONNECTORS

Automatic lock karabiner that reduces the risk of mishandling and has a large opening for easy anchoring

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AM022X2V2	Steel	One size	AM022	3295249284794	13295249284791	10	1	10.39 kg	26.0 cm	32.5 cm	19.5 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height