



Head protection

ASO2 CLEAR

SAFETY GLASSES

Clear-lens safety glasses with adjustable nose bridge and bi-material arms for comfort



Specific benefits



Comfort

- Flex temples for an optimal comfort with less pressure
- Soft & flex nose bridge for a better comfort in an extended period of use



Easy to use

- Anti-slip ends for an increased comfort and very good hold on the head (or on a helmet)



Durability

- Anti-scratch coating increasing lifespan



Compatibility

- Extra flat temples for optimal comfort with Ear muffs



Benefits elements

- Color perception

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Transportation
- Storage

Certifications and norms



EN170
UV 2C - 1.2

EN166
1 FT KN / FT

ANSI-ISEA Z87.1 - IMPACT
Z87+ U6

Risk Protection



Shock



UV / IR



Head protection

ASO2 CLEAR

SAFETY GLASSES

Clear-lens safety glasses with adjustable nose bridge and bi-material arms for comfort

Standards - Details

Technical details

Use	Inside
Type of eye protection	Glasses
Lens Material	Polycarbonate
Lens treatment	Fog (N), Anti-scratch (K)
Lens based curve	9.5
Glasses Style	Dual Lens
Lens color	Clear
Optical class	1
Lens protection class	1.2
Glasses Characteristics	Curved
Mechanical strength (lens)	F, T
Nose pad material	TPR (Thermoplastic Rubber)
Frame Material	Polycarbonate, TPR
Frame Support	Temples
Mechanical strength (frame)	F, T
Temple Benefits	Non-slip temples, Flexible tip
Temples confort	Non-slip temples, Flexible tip
Accessory included	Strap
Weight (g)	28








Head protection

ASO2 CLEAR

SAFETY GLASSES

Clear-lens safety glasses with adjustable nose bridge and bi-material arms for comfort

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ASO2IN	Clear	-	ASO2 CLEAR	3295249228224	13295249228221	100	10	7.6 kg	35.0 cm	70.0 cm	36.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height