Hand protection

VV904

SPECIFIC WORKS

Anti-vibration mechanical glove ideal for heavy duty work owing to its protection against shocks and impacts



Specific benefits

Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use

Performance

· Flexible reinforcements for added protection against impact and pinching

Applications

- **Agriculture**
- **Public Works**
- **Building**
- **Maintenance**
- **Temporary Work**
- **Forestry**

Certifications and norms

CE CATEGORY II

EN 388
4 1 4 2 B P

ISO 10819

Risk Protection

Shock

Wearing

DELTAPLUS

enjoy safety.

Edit 27/11/2026
www.deltaplus-usa.com

Hand protection

VV904

SPECIFIC WORKS

Anti-vibration mechanical glove ideal for heavy duty work owing to its protection against shocks and impacts

Standards - Details

EN388:2016+A1:2018
4 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)

Technical details

Glove kind	Special glove
Glove family	Anti-vibration glove
Mechanical Glove Type	Tricot
Special gloves kind	Vibration
Fiber	Polyester
Coating Level	Palm Coating
Coating Material	Nitrile
Coating Finish	Smooth
Number of Coatings	Single Coated
Thickness (mm)	8
Gauge	7
Benefits element	Reach, Silicone free, Vendor pack
Color	Yellow-Black
Size	10, 11
Type of conditioning	Header card

Packaging

Sale unit: Header card
60 pairs /box

Safety gloves

VV904

SPECIFIC WORKS

Anti-vibration mechanical glove ideal for heavy duty work owing to its protection against shocks and impacts

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV904JA09	Yellow-Black	09	VV904	3295249197919	13295249197916	60	12	20.05 kg	33.5 cm	73.0 cm	35.5 cm
VV904JA10	Yellow-Black	10	VV904	3295249180478	13295249180475	60	12	19.9 kg	33.5 cm	73.0 cm	35.5 cm
VV904JA11	Yellow-Black	11	VV904	3295249180485	13295249180482	60	12	19.5 kg	35.2 cm	74.0 cm	38.4 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height